

4




3


2

1



- 1.0 GENERAL NOTES
  - 1.1 ALL METRIC DIMENSIONS ARE IN BRACKETS [X. X]
  - 1.2 3D DIGITAL FILES ARE FOR REFERENCE. IN CASE OF CONFLICT FOLLOW PDF DRAWING.
- 2.0 DESIGN NOTES
- 3.0 MANUFACTURING/SPECIAL REQUIREMENTS
  - 3.1 BREAK SHARP EDGES AND DEBURR PART FOR SAFE HANDLING
  - 3.2 SPECIFICATION: PER ANSI/ASME B18.2.1
  - 3.3 MATERIAL: SAE J429 - GRADE 5
  - 3.4 GALVANIZE PER ASTM A153
- 4.0 TEST
- 5.0 PACKAGING
  - 5.1 PACKAGING SHALL MEET ANDREW REQUIREMENTS PER DOCUMENT IS-PL-3005

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	YMENG 15DEC25	BA1025 50105823AMO
B	REMOVED NOTE 3.5, ADDED THREAD PITCH AND THE SYMBOL FOR GRADE 5 BOLT	YMENG 25FEB26	AG1119 50105823AMO





**ANDREW**® an Amphenol company

TOLERANCES		SAP MATERIAL MASTER	
1 PLACE .X[X] ± 0.1[3.0]	3 PLACE .XXX[X] ± 0.030[0.8]	3803FTB	
2 PLACE .XX[X] ± 0.06[1.5]	ANGLES ± 1°		
FINISH GALV A153 [3.4]		MATERIAL J429 - GRADE 5 [3.3]	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES INTERPRET PER ANSI Y 14.5M-1994	NAME	DATE	TITLE
	CE YMENG	15DEC25	3/8 X 3 FULL THREAD HEX HEAD BOLT, GALV
	RW AG1119	03/03/2026	
	AD YMENG	03/04/2026	
	RE YMENG	03/04/2026	
ECN 50105823AMO			
SCALE <b>2:1</b>		DOCUMENT NO. <b>3803FTB</b>	
SIZE	Auth Group	INSL	MODEL
C	 	VERSION	STATUS
		01	RE
		REVISION	DRAWING
		01	RE
		REVISION	SHEET
		B	1 OF 1

DENSITY	0.28	lbs/in³
MASS	0.11	lbs
VOLUME	0.40	in³
SURFACE AREA	4.52	in²
HEIGHT	(0.650")	
LENGTH	(3.243")	
WIDTH	(0.562")	

Confidential

4

3

2

1