

C300-NMNM

Base Product



CNT-300 CNT® Jumper with interface types N Male and N Male, variable length

Product Classification

Product Type	Braided cable assembly
Product Brand	CNT®
Product Series	CNT-300

General Specifications

Attachment, Connector A	Factory attached
Attachment, Connector B	Factory attached
Body Style, Connector A	Straight
Body Style, Connector B	Straight
Cable Family	CNT-300
Interface, Connector A	N Male
Interface, Connector B	N Male
Specification Sheet Revision Level	A
Variable Length	For custom lengths, contact your local ANDREW representative

Dimensions

Length	0 m 0 ft
Nominal Size	0.300 in

VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
700–3000 MHz	1.433	14.99

Jumper Assembly Sample Label

C300-NMNM



Regulatory Compliance/Certifications

Agency

ISO 9001:2015

Classification

Designed, manufactured and/or distributed under this quality management system

Included Products

300APNM-C	-	Type N Male for CNT-300 braided cable
CNT-300	-	CNT-300, CNT® 50 Ohm Braided Coaxial Cable, black PE jacket
CNT-300-SFR	-	CNT-300-SFR, CNT® 50 Ohm Braided Coaxial Cable, black non-halogenated, fire retardant polyolefin jacket, Class B2ca, -s1a, d1, a1
CNT-300A	-	CNT-300, CNT® 50 Ohm Braided Coaxial Cable, black PE jacket
CNT-300A-LB	-	CNT-300, CNT® 50 Ohm Low Braided Coverage Coaxial Cable, black non-halogenated jacket
CNT-300A-SFR	-	CNT-300A-SFR, CNT® 50 Ohm Braided Coaxial Cable, black non-halogenated, fire retardant polyolefin jacket, Class B2ca, -s1a, d1, a1