



## Single Entrance Panel for elliptical waveguide 37

### Product Classification

**Product Type** Entrance panel

### General Specifications

**Color** Gray

**Entry Panel Port Size** 101.6 mm | 4 in

**Number of Ports** 1

**Panel Type** Single

### Dimensions

**Height** 76.2 mm | 3 in

**Width** 127 mm | 5 in

**Waveguide Size** WR229 | WG11 | R40

### Material Specifications

**Material Type** Aluminum

### Environmental Specifications

**Weather Resistance Test Method** 04AS00-03.9.0 | IEC 60529.14.2

### Packaging and Weights

**Height, packed** 180.34 mm | 7.1 in

**Width, packed** 180.34 mm | 7.1 in

**Length, packed** 180.34 mm | 7.1 in

**Included** Boot | Plate

**Packaging quantity** 1

**Weight, gross** 0.91 kg | 2.006 lb

## Regulatory Compliance/Certifications

**Agency**

ISO 9001:2015

**Classification**

Designed, manufactured and/or distributed under this quality management system

## Included Products

- 204673-1 - One 4" Port Entrance Panel 1 x 1
- WGB4-37 - Boot Assembly, 4 in, for elliptical waveguide  
37

# 204673-1

---



## One 4" Port Entrance Panel 1 x 1

### Product Classification

|                      |                              |
|----------------------|------------------------------|
| <b>Product Type</b>  | Entrance panel               |
| <b>Ordering Note</b> | ANDREW® non-standard product |

### General Specifications

|                              |                 |
|------------------------------|-----------------|
| <b>Color</b>                 | Gray            |
| <b>Entry Panel Port Size</b> | 101.6 mm   4 in |
| <b>Number of Ports</b>       | 1               |
| <b>Panel Type</b>            | Single          |

### Dimensions

|               |                 |
|---------------|-----------------|
| <b>Height</b> | 177.8 mm   7 in |
| <b>Width</b>  | 177.8 mm   7 in |

### Material Specifications

|                      |          |
|----------------------|----------|
| <b>Material Type</b> | Aluminum |
|----------------------|----------|

### Environmental Specifications

|                                       |                                      |
|---------------------------------------|--------------------------------------|
| <b>Weather Resistance Test Method</b> | 04AS00-03.9.0   IEC 60529:2001, IP66 |
|---------------------------------------|--------------------------------------|

### Packaging and Weights

|                           |                             |
|---------------------------|-----------------------------|
| <b>Height, packed</b>     | 177.8 mm   7 in             |
| <b>Width, packed</b>      | 177.8 mm   7 in             |
| <b>Length, packed</b>     | 40.64 mm   1.6 in           |
| <b>Included</b>           | Entry cap   Hardware   Port |
| <b>Packaging quantity</b> | 1                           |
| <b>Weight, gross</b>      | 0.28 kg   0.617 lb          |

## Regulatory Compliance/Certifications

| <b>Agency</b> | <b>Classification</b>  |
|---------------|--|
| CHINA-ROHS    | Below maximum concentration value  |
| ISO 9001:2015 | Designed, manufactured and/or distributed under this quality management system   |
| REACH-SVHC    | Compliant as per SVHC revision on <a href="http://www.andrew.com/ProductCompliance">www.andrew.com/ProductCompliance</a> |
| ROHS          | Compliant  |
| UK-ROHS       | Compliant  |



# WGB4-37

---



Boot Assembly, 4 in, for elliptical waveguide 37

## Product Classification

**Product Type** Boot assembly

## General Specifications

**Cable Type** Elliptical waveguide

**Cables per Cushion** 1

**Color** Black

## Dimensions

**Width** 101.6 mm | 4 in

**Length** 76.2 mm | 3 in

**Waveguide Size** WR229 | WG11 | R40

## Material Specifications

**Material Type** EPDM rubber

## Environmental Specifications

**UV Resistance Test Method** MIL-STD-810E, Procedure 11, Method 557

**Weather Resistance Test Method** 04AS00-03.9.52 | IEC 60529:2001, IP66

## Packaging and Weights

**Height, packed** 139.7 mm | 5.5 in

**Width, packed** 139.7 mm | 5.5 in

**Length, packed** 152.4 mm | 6 in

**Included** Boot | Cushion

**Packaging quantity** 1

**Weight, gross** 0.25 kg | 0.551 lb

# WGB4-37

---

## Regulatory Compliance/Certifications

| <b>Agency</b> | <b>Classification</b>  |
|---------------|--|
| CHINA-ROHS    | Below maximum concentration value  |
| ISO 9001:2015 | Designed, manufactured and/or distributed under this quality management system   |
| REACH-SVHC    | Compliant as per SVHC revision on <a href="http://www.andrew.com/ProductCompliance">www.andrew.com/ProductCompliance</a> |
| ROHS          | Compliant  |
| UK-ROHS       | Compliant  |

